

GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT

P.S - Irregularities in the repair of Irrigation channels of large tanks Garla, Bayyaram in Khammam District - Disciplinary proceedings against Sri K.Govinda Rao, DyEE and another initiated - Punishment awarded – Interim Orders of A.P. High Court dt.29-8-2008 on the orders of APAT in O.A.No.3944/2001 – Cancel of Orders issued G.O.Ms.No.144, dt.30-8-2008 - Orders - Issued.

+++++  
IRRIGATION & CAD (SERVICES.X-1) DEPARTMENT

G.O.Ms.No. 157

Dated:16-09-2008.

**Read** the following:-

- 1.G.O.Rt.No.412, I&CAD (CAD.Ser.II) Dept., dt.26.5.2000
2. G.O.Ms.No.185, I&CAD (CAD.Ser.II) Dept.,dt.26.5.2000.
- 3.Common Orders of A.P.A.T. dt.6-7-2007 in O.A.No.3939/2001 and 3944/2001.
- 4.From Sri K.Govinda Rao, Dy.E.E. representation dt.10-7-2008.
- 5.G.O.Ms.No.144, I & CAD (CAD.Ser.II) Dept., dt.30.08.2008.
- 6.Interim Orders of High Court dt.29-8-2008 in W.P.No.18750/2008

XXXX

ORDER:-

In view of the Orders of High Court in the reference 6<sup>th</sup> read above, Government hereby cancel the orders issued in the reference 5<sup>th</sup> read above and as a result the penalty awarded/recovery in the G.Os first and second read above are deemed to have been restored.

2. The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad is requested to take necessary further action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER

PRINCIPAL SECRETARY TO GOVERNMENT

To

The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

The Pay and Accounts Officer, Hyderabad.

The Accountant General, Andhra Pradesh, Hyderabad.

//FORWARDED BY ORDER//

SECTION OFFICER